

MOSIL SPRAY - FG MP Food Grade Multipurpose Lubricant Spray



Nonfood Compounds
Program Listed (Category Code - H1)
(Registration - 153288)

What it is?

It is a specialty food grade multipurpose lubricant that works as a penetrant cum cleaner apart from its function as a lubricant. It is a must for any maintenance personnel and has diversified applications. MOSIL SPRAY - FG MP meets the requirements of NSF - H1 (Lubricants with incidental food contact) and contain only ingredients permitted under 21 CFR 178.3570, 178.3620.

How to use?

It should be applied by gently pressing the knob of the aerosol tin keeping the face of the knob such that the extension tube connected to the knob opens directly in front of the contacts to be cleaned and lubricated.

AREA OF APPLICATION

1. Automobile (Starter Motors, Drive Chains, Car locks, Spark plugs, Door Hinges, Push back and tilting systems)
2. Industrial (Overhauling machinery, crane hook bearings and wheels, Lubricates and opens jammed bearings, Loosens jammed nuts and bolts, Power tools, Jigs & fixtures.)
3. Ordinance (Guns, Precision fitting, Linkages)
4. Electrical Equipment (Alternators, Motors, Relays, Circuit Breakers, Fuses, Potentiometer Relays, Switch gears etc.)
5. Pneumatic Systems (Sticky solenoid valves, Clogged needle valves, Automatic valves & cylinders)
6. Household (Drawers, Hinges, Pins, Sliding Contact at Windows, Sewing Machines, etc.)
7. Domestic (Mixers and Grinders, Hand Tools, Washing Machines, Collapsible Grills, Folding Chairs and Tables, TV, Radio and Tape-recorder tuners etc.)
8. General Purpose (Sliding Windows and door channels, Locks, Switches, Bicycle chains and sprockets, rolling shutters, elevator doors etc.)

PACKING: 312gm Eco-friendly Aerosol Spray

Mosil Lubricants Private Limited

Technical Services Dept: "ANIRA" Plot No. A-791/3, MIDC Khairne, Navi Mumbai - 400710. INDIA
T: +91 22 2464 0500 /0501|F: +91 22 2778 8505 | E: corporate@mosil.com | W: www.mosil.com
Regd Office:166/1, KALANIDHI, Sion(West), Mumbai - 400 022|CIN # U23200 MH 2000 PT C124177



Owing to evolving packaging solutions, user is requested to kindly check the availability of a specific pack size prior to standardization.

CHARACTERISTICS

TYPICAL VALUES

1. Appearance	Clear, Transparent
2. Color	Pale to Dark Yellow <i>(Minor variation in shade has no effect on the performance of the product)</i>
3. Specific Gravity	0.76 ± 0.05
4. % Volatiles	> 85%
5. Odor	Characteristic
6. Copper Strip Corrosion	Negative
7. Propellant	Carbon Dioxide

BENEFITS

- ➔ Ceases Squeaks by penetrating & lubricating the innermost parts which are normally inaccessible.
- ➔ Replaces moisture and shields metals, Releases rusty accessories
- ➔ Cleans away light soils, grease and adhesives
- ➔ Incorporates special type of dispensing system (valve) that ensures that the can be used up to 360° thereby making it extremely convenient to apply the product in the areas which are otherwise inaccessible.

Material Safety Information required for safe usage of this product may not be included in this product bulletin and may be sought by contacting MOSIL. Users are advised to go through the Material Safety Data Sheet (MSDS) of this product prior to application / usage of this product.

All statements and information contained in this document are based on the laboratory testing and user experience on actual applications. Owing to the exhaustive possibility of application for which this product may be used and the variety of equipments, performance parameters, environmental conditions and unpredictable human factors, we strongly recommend that this product be tested on the actual application prior to its standardization. All information contained herewith is offered in good faith but without any expressed or implied warranty. This Product Bulletin may already have been revised considering the availability of raw components, legislation, user experience & expectations and enhancement of knowledge of the development team of MOSIL. Users are requested to kindly seek the latest version of this product bulletin by contacting MOSIL. Information provided in this Product Bulletin is based on the generalised expectations and requirements of users. Additional information for this product may also be sought by contacting MOSIL.

Rev 01, Issue 00

Mosil Lubricants Private Limited

Technical Services Dept: "ANIRA" Plot No. A-791/3, MIDC Khairne, Navi Mumbai - 400710. INDIA
T: +91 22 2464 0500 /0501|F: +91 22 2778 8505 | E: corporate@mosil.com | W: www.mosil.com
Regd Office:166/1, KALANIDHI, Sion(West), Mumbai - 400 022|CIN # U23200 MH 2000 PT C124177

